

Question: How can
Mobilgrease XHP™ 222 reduce
your Total Cost of Operations?



Mobil™



Change your inventory's color. . .

GO BLUE!

Mobilgrease XHP™ 222 has over 150 global
Original Equipment Manufacturer (OEM) endorsements.

Blue + Sticky
=
Added Protection

36MA ✓



Now at your finger tips, technology so advanced
it will reduce your Total Cost of Ownership (TCO).

The chemistry of Mobilgrease XHP™ 220 Series is one of the reasons Mobil™ is known the world over for its leadership role in lubricants.

Mobilgrease XHP™ 220 Series is formulated with a proprietary lithium-complex thickener, high-quality ISO VG 220 base oil, and a unique system of powerful polymer-fortified additives.

Mobilgrease XHP™ 220 Series greases have:

- **Better protection at higher temperatures.***
Extended grease life and enhanced bearing protection in high temperature applications offers reduced maintenance and replacement cost benefits.
- **Extended regreasing intervals.***
Better adhesion stays put longer in critical applications and exhibits less oil bleed than Mobilith™ AW 2.

- **Ultimately longer equipment life.***

Providing reliable protection of critical equipment, even under conditions of high sliding and shock loading, helps maximize equipment uptime and extend equipment life.

Two things set Mobilgrease XHP™ 222 apart from ordinary greases.

- It's blue, so you can easily check for proper application.
- It's sticky, so it stays on bearings longer — extending their life and saving you money.

Isn't it time you made the change?

* When compared to Mobilith AW 2 or equivalent competitive grease.




From ordinary grease . . . to Mobilgrease XHP™ 222







Mobilgrease XHP™ 222: a technological advancement over ordinary greases.

How does Mobilgrease XHP™ 222 perform versus the competition?

Balanced Performance: Mobilgrease XHP™ 222 vs. Competitor 5 and Mobilith™ AW 2 Mobilgrease XHP™ 222 outperforms tested competitive products and provides the best overall balanced performance.

Contact your local Mobil™ distributor to hear more on the benefits of Mobilgrease XHP™ 222.



Product Name	NLGI Grade	Viscosity	Color*	General Recommendation**
Mobilgrease XHP™ 005	00	220		For centralized grease systems and where cold-temperature pumpability is important
Mobilgrease XHP™ 220	0	220		For centralized grease systems and where cold-temperature pumpability is important
Mobilgrease XHP™ 221	1	220		For industrial applications, chassis components and farm equipment
Mobilgrease XHP™ 222	2	220		For industrial applications, chassis components and farm equipment
Mobilgrease XHP™ 222 Special	2	220		For moderate duty service where moly is desired
Mobilgrease XHP™ 223	3	220		For severe applications where good high temperature and anti-leakage properties are required

* Please note that color swatches are approximations.

** This is intended as a general guide only.

© 2023 Exxon Mobil Corporation
The ExxonMobil logotype, Mobil logo, and Flying Horse design are trademarks of Exxon Mobil Corporation or one of its subsidiaries.

mobil.com/industrial